

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.wopto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/553,014	10/11/2005	Zheng Xin Dong	131P/PCT2/US	1314
7590 07/01/2008 Brian R. Morrill			EXAMINER	
Biomeasure Incorporated 27 Maple Street Milford, MA 01757-3650			KOSAR, ANDREW D	
			ART UNIT	PAPER NUMBER
,			1654	
			MAIL DATE	DELIVERY MODE
			07/01/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/553.014 DONG ET AL. Office Action Summary Examiner Art Unit Andrew D. Kosar 1654 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 26 February 2008. 2a) ☐ This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-3.12 and 20 is/are pending in the application. 4a) Of the above claim(s) 2 and 3 is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1 is/are rejected. 7) Claim(s) 12 and 20 is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)

Notice of Draftsperson's Patent Drawing Review (PTO-948)
 Information Disclosure Statement(s) (PTO/S5/08)

Paper No(s)/Mail Date 11/8/05,10/13/06.

Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/553,014

Art Unit: 1654

DETAILED ACTION

Election/Restrictions

Applicant's election without traverse of the

compound:

in the reply

filed on February 26, 2008 is acknowledged. The requirement is still deemed proper and made FINAL.

Applicant's elected species has been determined to be free of the prior art.

Additionally, the examiner has rejoined claim 20, being drawn only to the method of the allowable compound.

The examiner extended the search within claim 1 to the species BIM-23A387. Because the art does not specify the structure for BIM-23A387, claims 2 and 3 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention/species, there being no allowable generic or linking claim. Election was made without traverse in the reply filed on February 26, 2008.

Allowable Subject Matter

Claims 12 and 20 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Application/Control Number: 10/553,014

Art Unit: 1654

Specification

The disclosure is objected to because of the following informalities:

The specification is not in compliance with 37 CFR § 1.58 (a) which states, "The specification, including the claims, may contain chemical and mathematical formulae, but shall not contain drawings or flow diagrams. The description portion of the specification may contain tables, but the same tables may only be included in both the drawings and description portion of the specification if the application was filed under 35 U.S.C. 371. Claims may contain tables either if necessary to conform to 35 U.S.C. 112 or if otherwise found to be desirable."

Specifically, pages 40-52 and 55-60 of the instant disclosure include chemical schemes embraced by this rule.

As such, Applicant is required to furnish a drawing under 37 CFR § 1.81(c). No new matter may be introduced in the required drawing. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d).

Appropriate correction is required.

The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Application/Control Number: 10/553,014

Art Unit: 1654

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States,

Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by SAVEANU (IDS 11/8/05).

Saveanu teaches the chimeric somatostatin dopamine compound BIM-23A387 (e.g. title).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew D. Kosar whose telephone number is (571)272-0913. The examiner can normally be reached on Monday - Friday 08:00 - 16:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cecilia J. Tsang can be reached on (571)272-0562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/553,014 Page 5

Art Unit: 1654

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO

Customer Service Representative or access to the automated information system, call

800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Andrew D Kosar/

Primary Examiner, Art Unit 1654